



# Polymac Packaging



*Manufacturers*  
*For all your packaging requirements*



Cert No: 11153  
ISO 9001



**PRODUCT CATALOGUE**

**Tel: 01384 892441      Fax: 01384 893303**

**Email: [info@polymacservices.co.uk](mailto:info@polymacservices.co.uk)**

**Web: [www.polymacservices.co.uk](http://www.polymacservices.co.uk)**

# TAPES AND DISPENSERS

## Packing Tapes

Strong adhesive tapes, for care-free packing, available in polypropylene, vinyl or low noise.

Sizes available are as following:

48mm x 66mtr (3M brand) buff hot melt polypropylene tape
48mm x 66mtr (3M brand) clear hot melt polypropylene tape
48mm x 66mtr (3M brand) low noise buff hot melt tape
25mm x 66mtr clear polyprop tape
25mm x 50mtr mono filament tape
50mm x 50mtr mono filament tape
50mm x 66mtr prt'd "QUARANTINE", "FRAGILE", "THIS WAY UP"
48mm x 66mtr (WBA) buff tape
48mm x 66mtr (WBA) clear tape
48mm x 66mtr clear economy tape
48mm x 66mtr buff economy tape
48mm x 66mtr buff acrylic tape
48mm x 66mtr clear acrylic tape
48mm x 150mtr buff "E" bonus tape
And more including rubber tapes, linen, chevron, heat resistance masking tape, silver cloth tape etc.
We can also print!



## Vinyl Tapes

The high performance tape

- Strong and reliable: Adhesive that sticks to all paper and board surfaces and securely seals all boxes and cartons. Easy to use, it unwinds quietly and smoothly

# TAPE DISPENSERS

A range of guns with different special safety features.



**Economy Gun:**  
No special features.



**The Trigger Gun:**  
Only exposes the blade when the trigger is squeezed.



**The Safety Gun:**  
When the clear tape spreader is pressed against a carton.



**The Deluxe Gun:**  
Has a safety guard which can be clipped over the blade when not in use.

All dispensers feature a tension control device for use with 50mm wide polypropylene or vinyl tapes.

# HEAT SEALERS

## Hand Operated:

### 2500 HAND OPERATED IMPULSE HEAT SEALER

General purpose bench or wall mounted impulses Sealer. Instant seals without warm-up, but capable of high volume production work. The Parallel open ended sealing jaws allow for occasional larger bags to be re-positioned along the element. Element length 245mm (9 ½ inches)

- Automatic time control of heating cycle.
- Capacity for 150 micron (600 gauge) Polythene bags.
- Spring return of pressure for high frequency sealing.
- Plug- in re-conditionable element
- Optional cut/seal element



### 2300 or 3000 IMPULSE HEAT SEALERS

General purpose machines with many applications. Used extensively by hospitals, laboratories, retailers, engineering and other industries. Element Length 245mm (9 ½ ins) / 315mm (12 ½ ins)

- Hand operated.
- Automatic time control for a wide range of materials.
- CD models available with dual electronic time control and cutter for lay-flat tube.



### 1000P PORTABLE HEAT SEALER

Designed for repetitive seals and large, heavy, or irregular shaped packages, polythene bags, sheeting, pallet covers, etc and providing maximum flexibility of operation. Element Length 300mm (12 inches)

Used for export packing, protective storage and vacuum packing of humidity sensitive equipment and a wide range of industrial, warehousing and general packaging applications.

- Low voltage safety operations.
- Dual electronic timer for complete control of sealing cycle.
- Easy maintenance with 'plug-in' replaceable elements.
- Robust cast aluminium jaws with lever action for reduced manual effort



## Foot Operated:

### HEAVY DUTY SACK SEALER

Heavy Duty, automatic solenoid operated sealers on pedestal stand. Dual time control, providing 6mm seals for the secure closing of sacks used for building material, coal, chemicals and garden centre applications. Element length 660mm (26") / 900mm (36")

- Pedestal stand with height adjustment.
- Spring tensioned element.
- Twin solenoid automatic closing operated
- Twin element-heating option.
- Optional sack support.



### 3100 SOLENOID or CABLE OPERATED SEALERS

Foot operated sealers with either cable or automatic solenoid operated. Can be operated free-standing with attachment to work bench. Element length 315mm (12.5")

- Dual timer of heating and cooling cycle.
- One touch foot switch operated on solenoid version
- Cable operated foot-pedal on manual model.
- Replacement plug in elements
- Cutter options and "speedfill"



### 1300 or 1800 IMPULSE HEAT SEALER

General purpose foot operated machines providing great flexibility of operation. Leaves hands free to manipulate large or heavy packages. Element Length 340mm (13 1/2 ins) / 495mm (19 1/2 ins)

- Foot pedal operation.
- Simple bench mounting.
- Available with single or dual electronic time control
- CD models have dual timer and cutting knife to produce bags from L.F.T.

